


SIDE BEAM LIFT™ (SBL™)

Lightweight Lift Axle Mechanism

Hendrickson SIDE BEAM LIFT™ (SBL™) kits allow fleets and owner-operators to put the advantages of the HT™ to work in their liftable applications.

Liftable axles offer operational flexibility, extend tire life, improve trailer maneuverability, allow vehicles to carry more payload and can even save on road tolls. The SBL™ is a durable, lightweight and easy to install lift mechanism. The SBL is designed specifically for underslung and low ride height applications. This new design allows more clearance to the center of the trailer, not limiting axle spacing, or suspension beam centers and maximizes the ground clearance of the suspension.



For additional information, call 1-866-RIDEAIR or visit our web site at www.hendrickson-intl.com.

 **HENDRICKSON**
The World Rides On Us®

Features and Benefits

- Lighter weight than current center lifts by up to 20 lbs.
- Patent Pending design
- Allows more clearance to the middle of the trailer frame
- Does not limit or depend on axle spacing or suspension beam centers
- Lift kit mounts independently of the trailer frame
- One part number / model for all liftable HT250US suspensions
- Maximizes ground clearance
- Same high quality as all other Hendrickson parts



Product Family	Suspension Model	SBL Kit	Comments
HT Series	HT250US	SBL-250US	Approved for lifting in loaded and unloaded condition; 9-inch ride height and above



Actual product performance may vary depending upon vehicle configuration, operation, service and other factors.

Call your trailer dealer or Hendrickson at **1-866-RIDEAIR (743-3247)** for additional information.

www.hendrickson-intl.com



Trailer Suspension Systems
 250 Chrysler Drive, Unit #3
 Brampton, ON Canada L6S 6B6
 905.789.1030
 Fax 905.789.1033

Trailer Suspension Systems 866.RIDEAIR (743.3247)
 2070 Industrial Place SE 330.489.0045
 Canton, OH 44707-2641 USA Fax 800.696.4416

Hendrickson Mexicana
 Av. Industria Automotriz #200
 Parque Industrial Sliva Aeropuerto
 Apodaca, N.L., México C.P. 66600
 +52 (81) 8288.1300
 Fax +52 (81) 8288.1301